

Update: 24.10.2011

## Changes to our fitting range

WABCO offers a wide range of high quality couplings from renowned manufacturers. Besides our own products, we are also a reliable supplier of all system components for various vehicle control systems.

There has been a change to our list of couplings suppliers: Anoflex has discontinued its range for commercial vehicles. Thus Anoflex items will need to be replaced by equivalent products from a different brand.

**Important notice:** The RO system for quick-connection fittings will be discontinued. We will continue to offer the P5 system from Raufoss as an alternative. Please note that components from RO and are not compatible to components of P5. Those references can be found in the table below under the column "functionality" named "quick".

This is an update of an earlier Market Information (MI) [1007](#) issued in April 2011. Please use the table below to keep a complete overview. Parts which have been communicated already are marked in the column "old MI" by flag.

Please note that various sales sets and the 893 000 200 0 fittings case will be adapted.

The pipe couplings catalogue is currently in revision. For more information please visit our [online product catalogue INFORM](#).

To avoid typing part numbers into your data systems, please find a downloadable table under this [link](#).



Part number	Alternative	Description of alternative part number	Functionality	Old MI
463 703 025 0	893 831 276 0	Test connection 10x1 / M 16x1.5 / M 16x1.5	valve	
463 703 026 0	893 831 282 0	Test connection 10x1 / M 16x1.5 / M 22x1.5	valve	
463 703 027 0	893 831 227 0	Test Connection 15x1.5 / M 16x1.5 / M 22x1.5	valve	
463 703 033 0	893 831 287 0	Test connection 12x1.5 / M 16x1.5 / M 22x1.5	valve	
463 703 308 0	893 831 286 0	Test connection 15x1.5 / M 16x1.5 / M 22x1.5	valve	
893 022 007 4	893 022 000 2	Screw plug with O-ring M 12x1.5	conventional	✓
893 022 008 4	893 022 014 4	Screw plug with O-ring M 16x1.5	conventional	✓
893 022 009 4	893 022 015 4	Screw plug with O-ring M 22x1.5	conventional	✓
893 104 775 2	893 104 291 2	Straight Connector with O-ring M 22x1.5 / M 16x1.5	conventional	✓
893 104 776 2	893 104 294 2	Straight Connector M 22x1.5 / M 16x1.5 / M 22x1.5	conventional	✓
893 104 777 2	893 104 292 2	Straight Connector M 22x1.5 / M 16x1.5 / M 16x1.5	conventional	✓
893 129 384 2	893 129 192 2	Screwed Socket with Plug-In P5 / M 16x1.5	quick	
893 129 385 2	893 129 193 2	Screwed Socket with Plug-In P5 / M 22x1.5	quick	
893 129 386 2	893 920 342 4	Plug-In Connector P5 / M 10x1	quick	
893 129 387 2	893 129 192 2	Screwed Socket with Plug-In P5 / M 16x1.5	quick	
893 129 388 2	893 129 193 2	Screwed Socket with Plug-In P5 / M 22x1.5	quick	
893 129 389 2	893 129 191 2	Screwed Socket with Plug-In P5 / M 12x1.5	quick	
893 129 390 2	893 820 887 2	Screwed Socket with Plug-In P5 / M 14x1.5	quick	
893 129 392 2	893 920 342 4	Plug-In Connector P5 / M 10x1	quick	
893 129 393 2	893 129 191 2	Screwed Socket with Plug-In P5 / M 12x1.5	quick	
893 129 394 2	893 129 196 2	Bulkhead Female Plug-In Pivot M 22x1.5 / M 16x1.5 / P5	quick	
893 184 679 4	893 831 226 0	Straight connector 15x2 / M 16x1.5 / M16x1,4	push in	

Update: 24.10.2011

Part number	Alternative	Description of alternative part number	Functionality	Old MI
893 209 065 4	893 104 063 4	Female Straight connector M 12x1.5	conventional	✓
893 209 066 4	893 104 064 4	Female Straight connector M 16x1.5	conventional	✓
893 209 067 4	893 104 066 4	Reducing stud with O-ring M 12x1.5 / M 16x1.5	conventional	✓
893 209 068 4	893 104 051 4	Screw plug with O-ring M 12x1.5 / M 22x1.5	conventional	✓
893 209 069 4	893 104 052 2	Reducing stud with O-ring M 16x1.5 / M 22x1.5	conventional	✓
893 401 771 4	893 401 015 2	90° Elbow with Plug-In P5 / M 16x1.5	quick	
893 401 772 4	893 401 011 4	90° Elbow connector M 12x1.5 / M 12x1.5	conventional	✓
893 401 773 4	893 401 012 4	90° Elbow connector M 16x1.5 / M 16x1.5	conventional	✓
893 401 776 4	893 401 797 4	45° Elbow with Plug-In P5 / M 16x1.5	quick	
893 401 777 4	893 401 827 2	90° Elbow with Plug-In P5 / M 12x1.5	quick	
893 401 779 4	893 401 294 4	Plug-In Female 3-way with Elbow P5 / M 16x1.5	quick	
893 501 783 4	893 501 191 4	T-Connector M 16x1.5	conventional	✓
893 501 784 4	893 501 194 4	L-Union with Plug-In P5 / M 16x1.5	quick	
893 501 785 4	893 501 196 4	Plug-In Female T / Inverted T P5 / M 16x1.5	quick	✓
893 501 785 4	893 501 196 4	T-Connector M 16x1.5 / P5	quick	✓
893 501 786 4	893 501 004 4	T-Connector with holder M 16x1.5	conventional	✓
893 501 787 4	893 501 197 4	T-Connector M 22x1.5	conventional	✓
893 501 789 4	893 501 193 4	L-Union with Plug-In P5 / M 12x1.5	quick	
893 501 790 4	893 501 195 4	Plug-In Female T / Inverted T P5 / M 12x1.5	quick	
893 501 792 4	893 550 002 4	4-way Block "T" with Elbow P5 / M 16x1.5	quick	
893 550 045 4	893 550 001 4	Cross Connector with Plug-In P5 / M 16x1.5	quick	
893 550 051 4	893 550 101 4	Cross Connector M 16x1.5	conventional	✓
893 770 000 0	893 803 034 0	Pipe Coupling 6x1.0	push in	
893 770 010 0	893 803 037 0	Pipe Coupling 8x1.0	push in	
893 770 020 0	893 803 038 0	Pipe Coupling 10x1.0	push in	
893 770 030 0	893 803 039 0	Pipe Coupling 12x1.5	push in	
893 770 040 0	893 803 041 0	Pipe Coupling 15x1.5	push in	
893 770 060 0	893 803 991 0	Pipe Coupling 10x1.5	push in	
893 770 070 0	893 800 046 0	Pipe Coupling 10x1.25	push in	
893 770 080 0	893 831 223 0	90° Elbow connector 6x1 / M 12x1.5 / M 12x1.5	push in	
893 770 090 0	893 803 046 0	Pipe Coupling 16x2	push in	
893 770 100 0	893 800 051 0	Pipe Coupling 18x2	push in	
893 803 390 0	893 803 024 0	Male Push-In Connector 6x1.0 / M 22x1.5	push in	✓
893 803 400 0	893 800 005 2	Male Push-In Connector New Line 8x1.0 / M 22x1.5	push in	✓
893 803 410 0	893 803 880 0	Male Push-In Connector 10x1.0 / M 16x1.5	push in	✓
893 803 420 0	893 803 890 0	Male Push-In Connector 10x1.0 / M 22x1.5	push in	✓
893 803 430 0	893 800 002 2	Male Push-In Connector New Line 12x1.5 / M 16x1.5	push in	✓
893 803 440 0	893 800 008 2	Male Push-In Connector New Line 12x1.5 / M 22x1.5	push in	✓
893 803 450 0	893 803 930 0	Male Push-In Connector 15x1.5 / M 16x1.5	push in	✓
893 803 460 0	893 800 004 2	Male Push-In Connector New Line 15x1.5 / M 22x1.5	push in	✓
893 803 470 0	893 803 013 0	Male Push-In Connector 18x2.0 / M 22x1.5	push in	

Update: 24.10.2011

Part number	Alternative	Description of alternative part number	Functionality	Old MI
893 803 490 0	893 800 007 2	Male Push-In Connector New Line 8x1.0 / M 12x1.5	push in	✓
893 803 500 0	893 803 982 0	Male Push-In Connector 10x1.0 / M 12x1.5	push in	✓
893 803 510 0	893 803 892 0	Male Push-In Connector 10x1.0 / M 14x1.5	push in	✓
893 803 520 0	893 803 983 0	Male Push-In Connector 18x2.0 / M 16x1.5	push in	✓
893 803 540 0	893 800 001 2	Male Push-In Connector New Line 8x1.0 / M 16x1.5	push in	✓
893 803 550 0	893 803 026 0	Male Push-In Connector 8x1.0 / M 14x1.5	push in	✓
893 803 580 0	893 803 022 0	Male Push-In Connector 6x1.0 / M 12x1.5	push in	✓
893 803 590 0	893 803 023 0	Male Push-In Connector 6x1.0 / M 16x1.5	push in	✓
893 803 600 0	893 803 042 0	Male Push-In Connector 10x1.25 / M 12x1.5	push in	✓
893 803 610 0	893 803 044 0	Male Push-In Connector 10x1.25 / M 16x1.5	push in	✓
893 803 620 0	893 803 211 0	Male Push-In Connector 10x1.25 / M 22x1.5	push in	✓
893 803 630 0	893 803 005 0	Male Push-In Connector 12x1.5 / M 12x1.5	push in	✓
893 803 640 0	893 803 980 0	Male Push-In Connector 6x1.0 / M 14x1.5	push in	✓
893 803 660 0	893 803 031 0	Male Push-In Connector 12x1.5 / M 14x1.5	push in	✓
893 803 690 0	893 800 003 2	Male Push-In Connector New Line 16x2.0 / M 22x1.5	push in	
893 803 700 0	893 803 035 0	Male Push-In Connector 6x1.0 / M 10x1.0	push in	✓
893 803 720 0	893 803 025 0	Male Push-In Connector 8x1.0 / M 10x1.0	push in	✓
893 803 730 0	893 803 027 0	Male Push-In Connector 10x1.5 / M 12x1.5	push in	✓
893 803 740 0	893 803 992 0	Male Push-In Connector 10x1.5 / M 14x1.5	push in	✓
893 803 750 0	893 803 028 0	Male Push-In Connector 10x1.5 / M 16x1.5	push in	✓
893 803 760 0	893 803 029 0	Male Push-In Connector 10x1.5 / M 22x1.5	push in	✓
893 803 770 0	893 803 032 0	Male Push-In Connector 15x2.0 / M 16x1.5	push in	
893 803 780 0	893 803 033 0	Male Push-In Connector 15x2.0 / M 22x1.5	push in	✓
893 803 850 0	893 803 043 0	Male Push-In Connector 10x1.25 / M 14x1.5	push in	✓
893 821 600 0	893 803 034 0	Pipe Coupling 6x1.0	push in	
893 821 610 0	893 803 037 0	Pipe Coupling 8x1.0	push in	
893 821 620 0	893 803 038 0	Pipe Coupling 10x1.0	push in	
893 821 630 0	893 803 039 0	Pipe Coupling 12x1.5	push in	
893 821 640 0	893 803 041 0	Pipe Coupling 15x1.5	push in	
893 821 650 0	893 831 217 0	Straight connector 12x1.5 / M 16x1.5 / M 16x1.5	push in	
893 821 660 0	893 831 219 0	Straight connector 10x1 / M 16x1.5 / M 16x1.5	push in	
893 821 670 0	893 831 261 0	Straight connector 12x1.5 / M 16x1.5 / M 22x1.5	push in	
893 821 680 0	893 831 269 0	Straight connector 10x1 / M 16x1.5 / M 22x1.5	push in	
893 821 930 0	893 831 298 0	90° Elbow connector 10x1 / M 22x1.5	push in	
893 821 940 0	893 831 297 0	90° Elbow connector 10x1 / M 16x1.5	push in	
893 821 950 0	893 831 294 0	90° Elbow connector 12x1.5 / M 22x1.5	push in	
893 821 960 0	893 831 295 0	90° Elbow connector 12x1.5 / M 16x1.5	push in	
893 821 970 0	893 831 293 0	90° Elbow connector 8x1 / M 16x1.5	push in	
893 821 980 0	893 831 273 0	90° Elbow connector 15x1.5 / M 22x1.5	push in	
893 831 240 0	893 831 291 0	90° Elbow connector 8x1 / M 12x1.5	push in	
893 831 250 0	893 831 292 0	90° Elbow connector 8x1 / M 22x1.5	push in	
893 831 260 0	893 831 274 0	90° Elbow connector 10x1 / M 16x1.5	push in	

Update: 24.10.2011

Part number	Alternative	Description of alternative part number	Functionality	Old MI
893 831 270 0	893 831 299 0	Male Stud Elbow Coupling elbow 90 bulkhead / 12x1.5	push in	
893 831 280 0	893 831 264 0	90° Elbow connector 12x1.5 / M 22x1.5	push in	
893 831 290 0	893 831 215 0	90° Elbow connector 15x1.5 / M 16x1.5	push in	
893 831 300 0	893 831 267 0	Male Stud Elbow Coupling elbow 90° bulkhead / 15x1.5	push in	
893 831 310 0	893 831 278 0	90° Elbow connector 18x2 / M 22x1.5	push in	
893 831 360 0	893 831 223 0	90° Elbow connector 6x1 / M 12x1.5	push in	
893 831 370 0	893 831 263 0	90° Elbow connector 10x1 / M 12x1.5	push in	
893 831 410 0	893 831 279 0	90° Elbow connector 10x1 / M 22x1.5	push in	
893 850 950 0	893 831 281 0	T-Connector 10x1 / M 16x1.5 / M 16x1.5	push in	
893 850 960 0	893 831 271 0	T-Connector 12x1.5 / 12x1.5 / M 16x1.5 / M 16x1.5	push in	
893 850 970 0	893 831 262 0	T-Connector 12x1.5 / M 16x1.5	push in	
893 851 020 0	893 831 212 0	T-Connector 12x1 / M 16x1.5 / M 16x1.5	push in	
893 851 030 0	893 831 275 0	Male Stud T Coupling T-Connector	push in	
893 851 040 0	893 831 283 0	T-Connector 8x1 / M 16x1.5 / M 16x1.5	push in	
893 851 050 0	893 831 289 0	T-Connector 8x1 / M 16x1.5 / M 22x1.5 / SW 28	push in	
893 851 060 0	893 831 211 0	T-Connector 8x1 / M 16x1.5 / M 22x1.5 / SW 18	push in	
893 851 070 0	893 831 284 0	T-Connector 8x1 / M 16x1.5 / M 22x1.5	push in	
893 851 080 0	893 831 277 0	T-Connector 12x1.5 / M 16x1.5 / M 22x1.5	push in	
893 851 090 0	893 831 213 0	T-Connector 12x1.5 / M 16x1.5 / M 22x1.5	push in	
893 851 100 0	893 831 285 0	T-Connector 8x1 / M 16x1.5 / M 16x1.5	push in	
893 851 110 0	893 831 272 0	T-Connector 10x1 / M 16x1.5 / M 16x1.5	push in	
893 851 111 0	893 831 266 0	Male Stud T Coupling T-Connector	push in	
893 861 440 0	893 831 268 0	T-Connector 10x1 / M 16x1.5	push in	
893 861 450 0	893 831 265 0	T-Connector 12x1.5 / M 16x1.5	push in	
893 861 460 0	893 831 288 0	T-Connector 15x1.5 / M 16x1.5 / M 16x1.5	push in	
893 862 010 0	893 831 296 0	T-Connector 8x1 / M 16x1.5	push in	
893 862 020 0	893 831 214 0	T-Connector 8x1 / 6x1 / M 16x1.5 / M 16x1.5	push in	