

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.12.2015

Version number 3

Revision: 14.12.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: WABCO EaseTec™ P1**
- **Article number:**
830 502 062 4, 830 503 065 4, 830 502 076 4, 884 598 001 4, 884 598 002 4
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category PC24** Lubricants, greases, release products
- **Application of the substance / the mixture** Grease
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
WABCO Vertriebs GmbH & CO. KG
Am Lindener Hafen 21
30453 Hannover
Germany
Tel.: +49 511 922 0
- **Informing department:**
Information available by telephone number for respective country given above.
- **1.4 Emergency telephone number:**
Giftnotruf Berlin +49 (0) 30 30 686 790 (Deutsch und Englisch)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07 GHS09

- **Signal word** Warning
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P273 Avoid release to the environment.
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.12.2015

Version number 3

Revision: 14.12.2015

Trade name: **WABCO EaseTec™ P1**

(Contd. of page 1)

P391 Collect spillage.

- **Labelling of packages where the contents do not exceed 125 ml**
- **Hazard pictograms**



GHS07 GHS09

- **Signal word** Warning
- **Hazard statements** Void
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 95-38-5 EINECS: 204-414-9	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H302	1-<5%
CAS: 4259-15-8 EINECS: 224-235-5	Zink-bis-[O,O-bis-(2-ethylhexyl)]-bis-(dithiophosphat) Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315	< 1%
CAS: 128-37-0 EINECS: 204-881-4	2,6-di-tert-butyl-p-cresol Aquatic Acute 1, H400; Aquatic Chronic 1, H410	< 1%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**
Instantly remove any clothing soiled by the product.
Wash contaminated clothing before reuse.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact**
Generally the product does not irritate the skin.
Instantly wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing** In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.12.2015

Version number 3

Revision: 14.12.2015

Trade name: WABCO EaseTec™ P1

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid contact with eyes and skin.
- **6.2 Environmental precautions:**
Inform respective authorities in case product reaches water or sewage system.
Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Storage class** 13
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

128-37-0 2,6-di-tert-butyl-p-cresol
--

OEL Long-term value: 10 mg/m ³

- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
Use skin protection cream for skin protection.
Wash hands during breaks and at the end of the work.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.12.2015

Version number 3

Revision: 14.12.2015

Trade name: WABCO EaseTec™ P1

(Contd. of page 3)

- **Breathing equipment:** Not required.
- **Protection of hands:**
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Neoprene gloves
Nitrile rubber, NBR
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Not suitable are gloves made of the following materials:**
Natural rubber, NR
Butyl rubber, BR
- **Eye protection:** Safety glasses recommended during refilling.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Pasty
Colour:	Light brown
Odour:	Characteristic
- **pH-value:** Not applicable.
- **Change in condition**

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
- **Flash point:** Not applicable
- **Self-inflammability:** Product is not selfigniting.
- **Danger of explosion:** Product is not explosive.
- **Density at 20 °C** 0,9 g/cm³
- **Solubility in / Miscibility with**

Water:	Not miscible or difficult to mix
--------	----------------------------------
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.12.2015

Version number 3

Revision: 14.12.2015

Trade name: WABCO EaseTec™ P1

(Contd. of page 4)

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **LD/LC50 values that are relevant for classification:**
- | | | |
|--|------|-----------------|
| 128-37-0 2,6-di-tert-butyl-p-cresol | | |
| Oral | LD50 | 890 mg/kg (Rat) |
- **Primary irritant effect:**
 - **Skin corrosion/irritation**
Causes skin irritation.
 - **Serious eye damage/irritation**
Causes serious eye irritation.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.
Do not allow product to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
The waste code numbers mentioned are recommendations based on the probable use of the product.
 - **European waste catalogue**
- | | |
|-----------|----------------------|
| 12 01 12* | spent waxes and fats |
|-----------|----------------------|
- **Uncleaned packagings:**
 - **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.12.2015

Version number 3


Revision: 14.12.2015

Trade name: WABCO EaseTec™ P1

(Contd. of page 5)

Dispose of packaging according to regulations on the disposal of packagings.

SECTION 14: Transport information

· 14.1 UN-Number · ADR,RID,ADN, IMDG, IATA	UN3077
· 14.2 UN proper shipping name · ADR/RID/ADN	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, Zink-bis-[O,O-bis-(2-ethylhexyl)]-bis-(dithiophosphat))
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, Zink-bis-[O,O-bis-(2-ethylhexyl)]-bis-(dithiophosphat)), MARINE POLLUTANT
· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol, Zink-bis-[O,O-bis-(2-ethylhexyl)]-bis-(dithiophosphat))
· 14.3 Transport hazard class(es) · ADR,RID,ADN, IMDG, IATA	
	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group · ADR,RID,ADN, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: 2-(2-heptadec-8-enyl-2-imidazolin-1-yl) ethanol
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR/RID/ADN):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Kemler Number:	90
· EMS Number:	F-A,S-F
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.12.2015

Version number 3

Revision: 14.12.2015

Trade name: WABCO EaseTec™ P1

(Contd. of page 6)

· Transport category	3
· Tunnel restriction code	E
<hr style="border-top: 1px dashed black;"/>	
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2-(2-HEPTADEC-8-ENYL-2-IMIDAZOLIN-1-YL)ETHANOL, ZINK-BIS-[O, O-BIS-(2-ETHYLHEXYL)]-BIS-(DITHIOPHOSPHAT)), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E2** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
- **Department issuing data specification sheet:**
The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungs- und Prüfgesellschaft mbH, Phone: +49 5066 900990.
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity, Hazard Category 4

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.12.2015

Version number 3

Revision: 14.12.2015

Trade name: WABCO EaseTec™ P1

(Contd. of page 7)

*Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1**Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2**STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2**Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2**** Data compared to the previous version altered.**

IE